

TAKE THE FIRST STEP FOR YOUR BABY

# TAKE THE FIRST STEP FOR YOUR BABY





#### Most Smokers Want to Quit

If you are one of them, this workbook is for you. You may have good reasons to quit smoking and some concerns. This booklet has many useful suggestions for you.

You already know your smoking is harmful to you and others around you. This includes your developing baby if you're pregnant. Quitting smoking is the best gift you can give to yourself and the ones you care about.

Let's get started. It's never too late to quit.

FREE Help Quitting Call Quitline

# Benefits of Quitting

There are many reasons to quit smoking if you are pregnant or thinking about pregnancy. Perhaps none is as important as having a healthy baby. Quitting smoking anytime during your pregnancy will improve your baby's chances of being born healthy.

#### Quitting smoking:

- 1 Decreases the chances you will miscarry.
- 2 Reduces the risk of health problems in the last 3 months of pregnancy.
- 3 Lowers the chance of your baby being born too early (before 37 weeks).
- 4 Increases the chances your baby will have a healthy weight at birth (5 ½ pounds or more).
- 5 Lowers the risk of Sudden Infant Death Syndrome (SIDS).

See page 9 for the benefits of not smoking after your baby is born.



Smokers have a higher risk of having a baby that weighs less than 5 <sup>1</sup>/<sub>2</sub> pounds, a baby who could be very sick. Quitting lowers this risk.



When you quit smoking, you help your baby be born closer to his due date.

#### **Quitting Smoking Facts**

- Nicotine, an addictive drug, will be out of your body in 3-5 days after you stop smoking.
- You will start to breathe easier in 2-3 weeks.
- Some people report having withdrawal symptoms others do not. Everyone is different.
- Cravings for cigarettes last only 3-5 minutes and occur much less after the first 7-10 days.
- Quitting may be easier if you stay away from people who smoke.

FREE Help Quitting Call Quitline

# Try Again, Even If You Tried to Quit Before

Most people who quit smoking try many times before becoming non-smokers.

Each time you try to stop smoking, your chances of quitting forever get better.

Don't give up if you smoke again. Learn from each time you tried to quit smoking. Ask yourself, what helped? What didn't work?

Remember, it is hard to change everyday habits and to overcome nicotine. Use what you have learned to make a new quit plan. With a quitting plan, you are more likely to be successful. You can do it. Keep trying!

FREE Help Quitting Call Quitline

1-877-YES-QUIT (1-877-937-7848)



Remind yourself you are quitting smoking for yourself, your family and for the health of your unborn baby.



Many smokers have no withdrawal symptoms. Others may have more than one. They are signs that your body is healing.

# Possible Withdrawal Symptoms

- 1 Cough Smoking stops the hair-like cilia in your airways that sweep out and keep your lungs clean. Quitting causes a temporary cough. It's a sign your lungs are healing.
- 2 **Strong Urge to Smoke** Your body is withdrawing from nicotine, a highly addictive drug. You need time to change habits and learn to handle situations that make you want to smoke.
- 3 Nervousness and Tension Withdrawal from nicotine can cause you to feel nervous and tense. This will get better 1-2 weeks after quitting. Cut down on caffeine and drink more water in the first few days to help flush the nicotine from your system.
- 4 Lack of Concentration or Dizziness The brain gets more oxygen instead of poisonous carbon monoxide gas after you quit. Your brain also releases less adrenalin. These are both healthier for you.
- 5 **Slight Sore Throat** Tobacco smoke irritates and numbs the throat. A slight sore throat may be felt as the numbness wears off and the throat heals.

# Your Plan – Follow These 6 Steps

Step 1	What are your reasons for quitting smoking cigarettes?  List your reasons for quitting:  A
	В
	C
Step 2	Think about when you smoke. For example: drinking coffee, after a meal or on the phone. List when and where you smoke.
	В
	C

Think about secondhand smoke and ways to avoid it:



Most successful ex-smokers made plans to help them stop. Having a plan prepares you to deal with the changes and stressful times when you quit.



Drink 6-8 glasses of water each day to help flush the nicotine out of your body.

Step 4	Change your habits.  If you smoke when you:		Try doing this:		
	Drink coffee	<b>-&gt;</b>	Drink low caffeine or no caffeine tea		
	Finish a meal	<b>-</b>	Get right up, take a walk, or go to another room		
	Watch TV	-	Do something else with your hands like draw, doodle, play cards, or string beads		
	Are nervous	<b>-&gt;</b>	Talk with someone, take a walk, exercise, or chew gum		
	List daily habits you can change:				
	Instead of smoking when	I:	I can try doing this:		
	1	<b>→</b>	1		
	2	<b>-&gt;</b>	2		
	3	<b>-&gt;</b>	3		

Step 5	Use cigarette substitutes.  For your mouth: Fresh fruits	For your hands: Knit, sew, or string jewelry beads			
	Chewing gum	Play with a rubber band			
	Straw or toothpick	Hold a pen or pencil			
	Raw vegetables	Draw or doodle			
	Cinnamon stick	Squeeze a rubber ball			
	Nuts with shells	Hold a tissue			
	Sugar-free candy	Do a crossword puzzle			
	List 3 cigarette substitutes you would like to use:				
	1				
	2				

3



When you have the urge to smoke:

- Delay
- Deep breathe
- Drink water
- Do something else



Successful quitters reward themselves. Buy something special for yourself or your baby with the money you save.

1	spend your savings on:	
2		
3		
Smoke 1 pack a day? Qu	iit and you may save up	to \$1,800 a year.
Se	et a Quit Date!	
I am ready to do this! I a	m going to quit smoking	on:
Month	Day	Year
Your signature	Today's	date

# After Your Baby Is Born

It is tempting to start smoking again after your baby is born. But staying quit is very important – for you and your baby. When you are smoke-free, your baby will have:

- Fewer coughs and colds.
- Fewer ear infections and may have less ear pain.
- Better lung development.
- Less risk of asthma triggered by secondhand smoke.
- A better start for healthier brain development.
- Less risk of dying from Sudden Infant Death Syndrome (SIDS).

When you are a non-smoker, you set a good example for your children. They will be less likely to start smoking as teenagers.

FREE Help Quitting Call Quitline



By not smoking, you help your baby breathe better and grow better.



Make it easier on yourself when you quit – ask others not to smoke around you.

#### Secondhand Smoke Facts

- Secondhand smoke is the smoke that comes from the burning end of a cigarette, pipe or cigar and the smoke that is puffed out by smokers.
- It affects the health of others around you.
- Secondhand smoke affects developing babies even when their mothers do not smoke.
- It increases the risk of Sudden Infant Death Syndrome (SIDS).

#### Thirdhand Smoke Facts

- Thirdhand smoke is made up of the small particles and gases (nicotine) given off by cigarette smoke and is very harmful.
- 90% of these small particles and nicotine stick to floors, walls, clothing, carpeting, furniture and skin.

Nursing babies, crawling babies, toddlers and older children may get these particles on their hands and then put them in their mouths. Or they may absorb thirdhand smoke through their skin or by breathing it.

# If You Start To Smoke Again

Don't feel bad. You can try to quit again!

Think about what caused you to start smoking again.

Make a plan for how you will deal with this and other difficult situations.

Ask for support from people who want to help you become a non-smoker. Call them when you need to.

You can also call the Quitline and talk to an expert quit coach. **Call: 1-877-YES-QUIT or 1-877-937-7848** 

- 24 hours a day, 7 days a week
- English, Spanish and other languages
- For youth and adults
- Enroll online: https://yesquit.org
- Spanish: 1-877-7848 (Presione 8)
- TTY: 1-877-777-6534



You fail ONLY when you stop trying. Try again...



Increase your chance of success. Get help from your family, friends, healthcare providers and trained quit-smoking counselors or coaches.

#### Resources

Places to call for help with quitting smoking, keeping your baby away from secondhand smoke and other parenting topics:

- Quitline
- Your doctor or healthcare provider
- Your county public health department

Web sites for more information on quitting smoking:

- www.takingtexastobaccofree.com
- www.smokefreefamilies.tobacco-cessation.org
- www.smokefree.gov
- www.cdc.gov/reproductivehealth/tobaccousepregnancy
- www.yesquit.org


FREE Help Quitting Call Quitline

# Before Quitting Checklist

- Make your quit-smoking plan.
- Set a quit date.
- Call the Quitline.
- Throw out all cigarettes, lighters and ashtrays.
- Put cigarette substitutes where you kept your cigarettes.
- Go over your reasons for quitting.
- List people who will support you and their phone numbers.
- Tell friends and family how they can help.
- Quit on your quit date.

FREE Help Quitting Call Quitline

1-877-YES-QUIT (1-877-937-7848)



Some people say that quitting feels like losing your best friend. But think about what you have to gain!

#### I AM QUITTING SMOKING FOR MYSELF AND A VERY SPECIAL LITTLE ONE...



Content for this booklet was originally developed by the North Carolina based group Women and Tobacco Coalition for Health (WATCH).





#### My quit smoking date:

Month Day Year

My baby's due date:

Month Day Year